

CB958

J952

J953

NB952

N953

R A C

Bar Code Label

POWER SUPPLY: 34008454

INPUT: 100-240V ~ 4.0A 50/60Hz

MODEL NO: KPS+L110C3  
(-01)

P/N: \* 35018155  
DATE: 2013-03-25

CY901


REV: 00

HOT!

L903

CAUTION:  
FOR CONTINUED PROTECTION  
AGAINST RISK OF  
FIRE AND RATING  
REPLACE ONLY WITH  
SAME TYPE AND RATING





Bar Code Label

POWER SUPPLY: 34008454

INPUT: 100-240V ~ 1.5A 50/60Hz

MODEL NO: KPS+L110C3

(-01)

F/N: 35018155

DATE: 2013-03-25

REV: 00

10004473  
JLC357

HOTI

COLD

HOTI

COLD

HOTI



CW961

J959

J958

CW953



XS958

PS-ON

GND

PWM

+5V

GND

EN

+12V

J955

J952

J953


N953

Label









OUTPUT MAX	
+5.1V	4A
+12V	4A
+24V	4A

Tss=20ms~30ms  
Rmax---fmax=160kHz  
Rmin---fmin=70kHz

标记	数量	分区	单号	签名	日期	标记	数量	分区	单号	签名	日期	等级	标记
拟制													
审核													
工艺													
标准化													
批准													

KPS+L110C3-01

KONKA

第 2 页 共 2 页