


LAYOUT INSPECTION

12




REMARKS:


- ” ◇ ” SPECIAL CHARACTERISTIC
- ” + ” SAFETY CHARACTERISTIC
- ” ( ) ” REFERENCE ONLY

VARITRONIX LTD.		Dimension : mm	TOL : ±0.2 IF NOT SPECIFY	DO NOT SCALE DRAWING	 3rd ANGLE PROJECTION
DWGNO. : VIM-404-DP0	REV 0	Drawn by : QMZ	SIGN :	Date : 2005-09-03	
		Checked by : YIN	SIGN :	Date :	

DWG.NO.: VM-404-DP (REV.0)




DWG.NO.: VM-404-DP (REV.0)




DIGIT 1-4

SEGMENT TRACKING




REMARKS : N.C. = NO CONNECTION

COMMON TRACKING





REMARKS : N.C. = NO CONNECTION


VARITRONIX LIMITED		OPEN LAYER :	SCALE
POLARIZER LOCATION DIAGRAM		P	Do not scale
DOC. NO. : PL-VIM-404-DP-01		Drawn by : QMZ	Date : 2005-09-03
		Checked by : HE	Date : 2005-09-03
		Approval by :	Date : 2005-09-06



VARITRONIX LIMITED		OPEN LAYER : DP-L0	SCALE Do not scale
DIL-PIN DETAILS LOCATION DIAGRAM			
DOC. NO. : DP-VIM-404-DP-01		Drawn by : QMZ	Date : 2005-09-03
		Checked by : HE	Date : 2005-09-03
ALL DIMENSIONS IN mm		Approval by :	Date : 2005-09-06



REMARKS: ①----- X.XX=2.54 (FOR PIN LENGTH ≥ 3.20 & ≤ 10.00mm)  
X.XX=1.75 (FOR PIN LENGTH > 10.00 & ≤ 19.50mm)



DWG.NO.: VM-404-DP (REV.0)

PIN	COM1	COM2	COM3
1-3	N.C.	N.C.	N.C.
4	1B	1C	1P
5	2B	2C	2P
6	3B	3C	3P
7	4B	4C	----
8	----	----	COM3
9-10	N.C.	N.C.	N.C.
11	COM1	----	----
12	4A	4G	4D
13	4F	4E	----
14	3A	3G	3D
15	3F	3E	----
16	2A	2G	2D
17	2F	2E	----
18	1A	1G	1D
19	1F	1E	----
20	----	COM2	----

REMARKS: ALL COSMETIC DEFECTS MUST BE ACCEPT OUTSIDE  
V.A. EXCEPT ANY CONCERN ON RELIBILITY  
N.C. = NO CONNECTION